A New Standard for Security Operations in the AI Era
From Detection to Decision

2026
SPECIAL REPORT
Gartner Security & Risk Management Summit

WRITTEN BY
PAGO Networks
National Harbor, Maryland, USA
June 2026



pago

The Global MDR Frontline
Owning the Decisions That Matter Most

Table of Contents

I. A Fundamental Shift in the Threat Landscape

The Paradigm Shift for Cybersecurity in the Dark AI Era 07

Responding to a Complex Threat Landscape:
Resetting Security Priorities with the Threatscape 12

The Evolution of AI-Powered Ransomware:
A New Turning Point in Defense and Response 18

II. Redesigning Security Operations

SOC Staffing Strategy for 2030: Combining AI with Security Expertise 25

Hiring AI Agents for SOC Teams and Running a Hybrid Operation 30

From Reactive Response to Proactive Prevention: Why CTEM Matters 36

AI-Powered Attack Automation:
A Practical Starting Point for Security Operations 40

How Cyber Resilience Gets Proven:
A Shift Toward CTI-Driven Security Decisions 45

III. Sharpening Judgment and Addressing Emerging Risks

Exposure Management: Sharpening How the SOC Prioritizes 52

Shifting IT and Security Landscapes in the AI Era,
and the New Role of the CISO 56

The Shift in Security Validation for the AI Era: Trust Before Speed 64

MCP, the Core Communication Protocol for AI Agents:
Security Threats and Response Strategy 68

Mapping Enterprise AI Security Blind Spots
and a Phased Response Strategy 75

© 2026 PAGO Networks. All rights reserved.

Executive Summary

The 2026 Gartner Security & Risk Management Summit framed the impact of AI on cybersecurity not as a simple technology upgrade, but as a structural shift that is changing how security operations work at their core.

One message came up again and again throughout the Summit. Attackers are using AI to automate existing attack techniques faster and at greater scale, and companies need to do more than adopt new security tools in response. They need to redesign the priorities and decision-making structures across their entire security operation.

Gartner in particular urged organizations not to treat AI as just another new security product, but to view **Threat Intelligence, Exposure Management, CTEM (Continuous Threat Exposure Management), Identity Security, Cyber Resilience, and AI agent-based Security Operations** as one integrated operating system. This means that future security competitiveness will depend less on how many alerts a team can generate and more on how quickly it can judge and act on the risks that matter most within a limited window of time.

PAGO Networks attended the major sessions at this year's **Gartner Summit** and compiled the insights gathered on-site into a series of 13 reports. This document is not meant to be a simple session recap or a technology overview. Building on the direction Gartner laid out, we set out to interpret what these shifts actually mean for security operations and MDR (Managed Detection & Response) environments, and what security teams should be preparing for from a practical standpoint.

The main topics covered in this report include:

- AI-driven attack automation and the emerging threat landscape of the Dark AI era
- The Gartner 2026-2027 Threatscape and the redesign of security priorities
- The evolution of AI-powered ransomware and social engineering attacks
- AI agents and future SOC operating models
- Proactive security operations centered on CTEM and Exposure Management
- Cyber Resilience driven by Threat Intelligence
- AI Security Testing and validation-centered security operations
- Emerging AI security risks such as MCP (Model Context Protocol), Shadow AI, AI Browsers, and Agent Identity
- The changing role of the CISO in the AI era and distributed governance

© 2026 PAGO Networks. All rights reserved.

"The center of gravity in security operations is moving from detection to decision."

Attack speed keeps increasing, and AI is making existing attack chains more efficient to automate. In this environment, generating more detections or more alerts simply is not enough on its own. Organizations need to weigh actual attack likelihood alongside business impact so they can quickly decide what to investigate first and what to respond to first.

Gartner also pushed back on the expectation that a fully autonomous SOC will arrive anytime soon. AI should be used as a collaborative partner that automates repetitive work and extends analytical capacity, not as a replacement for security professionals. Final judgment and accountability still rest with people, and Gartner repeated that point throughout the Summit.

PAGO Networks shares this view. AI-driven automation can raise the efficiency of security operations, but understanding the nuances of a customer's environment, its business impact, and the actual priority of a response still calls for experienced, skilled security professionals. Going forward, MDR services need to do more than detect threats. They need to connect **Threat Intelligence, Exposure Management, CTEM, and Identity Security** so customers can make faster, more accurate security decisions.

We hope this **Insight Report** gives CISOs, security leaders, and security operations practitioners preparing for the AI era a clearer sense of where things are headed, and helps them rebuild their organization's security strategy accordingly.

I. A Fundamental Shift in the Threat Landscape

The Paradigm Shift for Cybersecurity in the Dark AI Era: The Role of Security Teams and Business Resilience

Executive Summary

The opening keynote of the 2026 Gartner SRM Summit laid out a direction for security teams facing the 'Mythos' incident and the threat of 'Dark AI', two of the biggest issues in cybersecurity right now. Even as the latest AI technology tears down defensive walls, the core message was that security teams still hold an advantage in capital and environmental knowledge, and need to fight back with 'automation' and 'resilience.'

McMullen went on to say, "Was Mythos brilliant, or was it just brilliant marketing? That is the answer you want, is not it? Honestly, it does not matter," repeating the point that 'AI is real' throughout the session.

This report covers five key topics: the economic reasons security teams can hold an edge over Dark AI, how AI-driven engineering can resolve long-standing technical debt at its root, strategies for controlling a complex AI ecosystem, managing the explosion of machine and system credentials (Machine Identity), and building business resilience that goes beyond prevention.



© 2026 PAGO Networks. All rights reserved.

1. The Dark AI Threat and Why Defenders Have an Edge

It is genuinely alarming that attackers can now use AI to churn out expert-level attacks at the scale once reserved for script kiddies. But Gartner points out that if attackers can automate their offense, defenders can automate their defense the same way, scaling up to match them or even get ahead.

Cost efficiency: An attacker burning through countless tokens to launch attacks is far less cost-efficient than a defender investing in automated scanning and patching

A structural edge: Defenders already understand their own internal systems, and AI can learn the normal patterns of that environment to spot anomalies

> **This technology does not just scale attackers - it scales us, too. This is a fight we can win.**



2. AI-Driven Engineering and Clearing Years of Technical Debt

McMullen defined AI not as “a tool that replaces marketing jobs,” but as “a powerful weapon for solving an enterprise’s long-standing technical debt and designing secure-by-design architecture.” While covering this topic, he referenced Claude Code, noting that “500,000 lines of code were ported to run across multiple other languages and backends in a single day.”

The takeaway is that automated vulnerability scanning and remediation, something developers have been asked to handle manually for years, can now be done with a single AI system prompt.

© 2026 PAGO Networks. All rights reserved.



3. Managing the AI Agent Ecosystem: A Restaurant Analogy

The enterprise environment of the future will be a complex web of AI agents talking to each other. McMullen compared this to a kitchen in a fine dining restaurant. The sauce chef and the grill chef each stick to their own station, because, as he put it, "if the sous chef jumps in to sear the finest cut of steak just because the grill chef is running slow, that is a massive waste of resources." In other words, the agent ecosystem needs the same kind of strict separation.

Concept	Restaurant Analogy	Security and System Application
Small Agents	Sous chef, grill chef, and other single-task cooks	AI agents restricted to a single function, such as log collection or anomaly analysis, with minimal privileges
Guardian Agent	Head chef, overseeing everything and stepping in when problems arise	Monitors communication between agents and escalates when anomalous behavior is detected



© 2026 PAGO Networks. All rights reserved.

4. The Explosion of Machine Identities and the Push to Modernize IAM

McMullen noted that Business Email Compromise (BEC) fraud actually costs organizations more than ransomware does, and said shoring up this area is one of the fastest ways to show results right now.

Enterprises now have 80 times more machine and system credentials than human accounts.

80x

Machine and system credentials inside an enterprise now outnumber human accounts by 80 to 1

Managing API keys, service accounts, and bots is no longer optional. It has become a constant, ongoing requirement. McMullen explained that the key to the coming era is using visibility and intelligence platforms for identity to continuously monitor and control this layer of IAM.

5. A Shift in the Defense Paradigm: From Prevention to Resilience

In a market where cyberattacks have become normalized, McMullen said the ultimate goal of security has shifted from 'preventing every intrusion' to 'business resilience.' He stressed that setting Impact Thresholds both leadership and business units can agree on is essential, and highlighted the following points.

Mini case: Impact Threshold at a large retailer

A major retail chain found that if its procurement system goes down for more than three days, store shelves start running empty. That led to a clear business threshold: "No matter what kind of breach occurs, detection and recovery of the procurement system must happen within three days."

The PAGO MDR Connection

PAGO MDR's Threat Containment service proactively contains and stops threats within a customer's business threshold, preventing incidents from ever reaching the recovery stage.

© 2026 PAGO Networks. All rights reserved.



Conclusion

The takeaway from the 2026 Gartner opening keynote is clear. Facing the many issues raised by the rise of Dark AI, security teams do not need to panic, because defensive tools have advanced just as much as attacker tools have.

McMullen also said, “We are up against a massive challenge: modernizing our organizations for Dark AI while also securing machine identities and AI agents.” But he added, “That is also a huge opportunity to turn our mission into a game we can actually win, one built on resilience and automation.” He closed the session by urging attendees to start with something small but actionable.

PAGO aims to deliver on the business resilience values highlighted in the 2026 Gartner SRM Summit opening keynote by making ‘anomaly-driven, precise threat containment’ a core part of what we do in customer environments. It is a practical way to help security teams stay in control as the landscape shifts under them.

→ Takeaway

1. Defensive tools have advanced just as much as attack tools have. There is no reason to be afraid.
2. The goal is not perfect prevention. It is resilience within an agreed threshold.
3. PAGO MDR’s Threat Containment is what puts that resilience into practice.

© 2026 PAGO Networks. All rights reserved.

Responding to a Complex Threat Landscape: Resetting Security Priorities with the Threatscape

Executive Summary

John Watts opened his session by saying that after years of tracking gradual shifts in threats like ransomware and phishing, this year felt different. "Between the Mythos and Glasswing disclosures, and the idea that exploits could be generated faster than we can patch for them, this year just feels different," he said.

He pointed to the Jaguar Land Rover ransomware attack, which was large enough to affect the UK's GDP, as an example of the kind of damage we have not seen in years, describing it as a step change in attacker capability. John Watts used the session to walk through how organizations can separate real signal from the constant noise of threat alerts, and this report covers the nine key threats from Gartner's 2026-2027 Threatscape and what security teams need to know about them.



1. A Shift in the Threat Paradigm: "This Year Feels Different"

John Watts warned that today's attacks are forming interconnected chains. Even the large-scale attack that crippled manufacturing infrastructure started with a stolen credential at a help desk.

© 2026 PAGO Networks. All rights reserved.

The most notable shift is the rapid rise of AI-driven threats. Watts recalled running an AI-focused session in Frankfurt, Germany back in 2019 to a room of just 20 people, a sign of how little interest the market had at the time. Today, AI has moved well past being a vendor marketing term or a passing tech trend. It has become a powerful tool that lets attackers design sophisticated attack chains entirely on their own, without external help, dramatically lowering the bar to breach a target. This echoes a point made in the opening keynote report: script kiddies can now attack like professionals.

2. The 2026-2027 Gartner Threatscape: Nine Key Threats

The Threatscape is a visual reference built by Gartner's analysts to map out threats across the environment. It is designed to help experts sift through the volume of threat information and noise and distill it into actionable steps.

Setting aside well-funded nation-state actors and threats that already have mature defenses, like ransomware, John Watts grouped nine strategic threats facing enterprises into three categories.

Category and Threat	Key Data and 2025/2026 Statistics
Unpredictable Threats 1. **Agentic automation hijacking** 2. **AI application compromise** 3. **AI-augmented attacks**	AI-related CVEs jumped 34.6% year over year to 2,130 in 2025. If an autonomous, open-source AI agent is hijacked, the potential for data misuse is enormous. The APT36 group has used AI coding assistants to generate 'Crystal Reports'-based malware, running creative attacks designed to evade detection.
Critical Threats 4. **Deepfakes** 5. **Prompt injection** 6. **Software supply chain attacks**	62% of organizations have experienced at least one deepfake attack involving social engineering or automated process abuse. According to GTI analysis, indirect prompt injection rose 32% between November 2025 and February 2026. 62% of applications with third-party vulnerabilities carry open-source flaws.
Structural and Anticipated Threats 7. **Perimeter exploits** 8. **Cyber-physical systems** 9. **AI infrastructure attacks**	The Verizon Data Breach Report found that vulnerability exploitation has overtaken phishing as the top initial access vector. 119 ransomware groups targeted industrial organizations in 2025, up 64% year over year. 13% of organizations reported a breach tied to an AI model or application, including GPU hijacking and unauthorized use of LLM tokens.

© 2026 PAGO Networks. All rights reserved.





3. The Reality on the Ground: Practical Process Over Perfect Technology

What made this session resonate as an MDR provider was that it did not just list off new technology. It honestly acknowledged the real barriers security teams run into day to day. In our incident response work at PAGO, we constantly run into situations that call for basic awareness training, not just technical fixes. John Watts talked through how security processes tend to break down in the field, and offered practical ways to work around it.

- **Deepfakes exploit a blind spot no technology can fully close**

© 2026 PAGO Networks. All rights reserved.

The reality on the ground

Even the strictest security protocols fall apart in front of a deepfaked video call from an executive demanding an urgent wire transfer, John Watts explained. The reason: fear of professional consequences overrides the process.

Practical response: Before rolling out detection tools, leadership needs to state clearly, in advance, "We will never authorize a wire transfer based on a phone call alone." Organizations should also accept some friction: mandate dual-approval at the system level, and require in-person interviews and offline device pickup to stop attackers from posing as fake IT hires.

➤ The gap between expectation and reality

The reality on the ground

In the Salesloft Drift incident, at least three security vendors failed to catch the breach. John Watts noted that detecting threats in cloud environments requires advanced logging, which comes with a steep price tag. He added that asking the business side for a 40% increase in the security budget is close to a non-starter.

Practical response: Rather than demanding a blanket budget increase, quantify the opportunity cost of system downtime and bring that to the business first. From there, negotiate a compromise: prioritize enhanced telemetry and logging budget for the most critical SaaS applications.

➤ Friction with internal processes

The reality on the ground

Fast patching is the basic defense against a surge of attacks, but organizations that have been burned by a bad patch taking down critical systems in the past tend to avoid patching out of caution.

© 2026 PAGO Networks. All rights reserved.

Practical response: Do not try to prevent every attack at the cost of halting the business. Maintain Detection & Response capability that breaks the kill chain, and if patching is not feasible right now, reduce exposure immediately by disabling vulnerable legacy services (like an old SSL VPN) or switching to IPsec instead.

4. How to Adapt: Prioritization and the CTEM Framework

Assets and budgets are finite, so no organization can defend against all 20-plus threat indicators at once. John Watts recommended prioritizing threats using the following criteria.



As a methodology for putting this into practice, he presented CTEM (Continuous Threat Exposure Management), describing it not as blindly expanding security tooling but as a repeatable process for continuously adjusting defenses against evolving attackers.

- Scoping and Discovery: Identify what exposure exists across the IT/OT environment
- Prioritization and Validation: Determine what would actually be critical to the business
- Mobilization: Go beyond simply patching to actually fixing the underlying service issue



© 2026 PAGO Networks. All rights reserved.

Conclusion

Gartner's 2026-2027 Threatscape session delivered a clear message to security practitioners: stop scrambling to adopt a new point solution every time a new threat surfaces. The spectrum of threats has grown enormously, spanning everything from physical USB attacks to AI-augmented attacks and sophisticated deepfake scams.

What this session offers is not a plan or a design for perfect protection. It is a call to face limited resources and constraints head-on.

Using a structured framework like CTEM to prioritize threats against an organization's actual business impact, and evolving detection technology alongside improved security operations processes, is the core of what needs to happen next.

→ Takeaway

1. There are more than 20 threats, and you cannot defend against all of them. Prioritization is the strategy.
2. Practical process, such as approval workflows, budget trade-offs, and reducing exposure, comes before new tooling.
3. The CTEM framework turns this prioritization into a repeatable process.

© 2026 PAGO Networks. All rights reserved.

The Evolution of AI-Powered Ransomware: A New Turning Point in Defense and Response

Executive Summary

Paul Furtado opened his session by describing a case in Hong Kong where a company wired roughly 25 million dollars after trusting a video call featuring a fake CFO and fabricated colleagues. He framed this not as a simple system breach but as a failure of internal controls, pointing out that AI-driven social engineering is already causing real-world damage.

The core message of his session came down to "speed and scale." Furtado explained that attacks are "getting faster, and bigger," with AI now able to automate multiple stages of the attack chain, from reconnaissance to exploiting vulnerabilities to lateral movement.



Ransomware can no longer be described simply as an attack that encrypts files and demands payment. Attackers are combining data exfiltration, double and triple extortion, and reputational risk to pressure victim organizations.

1. How AI Is Accelerating the Ransomware Attack Chain

The biggest shift AI brings to ransomware is not the arrival of entirely new attack types. It is the acceleration of the existing attack chain. Attackers have not thrown out their old playbooks just because AI showed up. Instead, they are compressing the time it takes to move through initial access, execution, persistence, discovery, lateral movement, data exfiltration, encryption, and extortion.

© 2026 PAGO Networks. All rights reserved.

Impact of AI — Vendor Research Lab Outlook



Vendor research cited in the presentation found that AI's biggest impact on ransomware is not fully autonomous attacks. It shows up more in sharper social engineering, faster operations, and the broader democratization of cybercrime.

This means detection and response teams need to check whether individual events are malicious while also analyzing how multiple signals connect into a single attack flow. Teams need to triage quickly based on sequence, asset criticality, account privileges, and lateral movement paths, so they can identify the signals most likely to lead to ransomware and prioritize investigation and containment accordingly.

2. Data Exfiltration Time Has Dropped to 72 Minutes

Unit 42 data cited in the presentation shows that in some intrusions, the time to data exfiltration has dropped to just 72 minutes. With AI-driven automation accelerating attack speed, the ability to group multiple signals into a single breach narrative and prioritize them matters more than handling alerts as isolated events.

72 minutes

The time it took the fastest 25% of breaches to reach data exfiltration (Unit 42 data)

© 2026 PAGO Networks. All rights reserved.

For example, if abnormal logins, PowerShell execution, internal scanning, mass file compression, and large data transfers occur in quick succession, and the target assets are critical servers or high-privilege accounts, that should be treated as ransomware staging and investigated with urgency. In this context, PAGO's MDR service goes beyond simply flagging that something was "detected." We give customers the threat flow, the scope of impact, recommended priority actions, and additional points to verify, so they can decide how to act.

3. Deepfakes and Identity Impersonation Are Sharpening Initial Intrusion

One of the areas where AI is having the biggest impact on ransomware is social engineering. Where phishing used to rely on mass emails and repetitive templates, AI and machine learning are turning it into hyper-personalized attacks tailored to a target's role, position, and day-to-day context.

This trend is expanding into deepfakes, identity fraud, vishing, and agentic AI-driven target profiling. In the end, more sophisticated phishing and identity impersonation become the entry point that makes initial access and internal spread far easier for a ransomware attack.



© 2026 PAGO Networks. All rights reserved.

4. AI-Powered Defense Still Depends on Basic Security Hygiene

As dangerous as AI-powered attacks are becoming, the starting point for defense is not necessarily adopting an AI security product. Paul Furtado explained that most successful attacks still succeed because of basic control failures, not because of AI. Gaps like weak account protection, missing security tools, poor log visibility, and inconsistent policy enforcement remain the entry points attackers rely on.



Ransomware defense needs to be approached as a lifecycle: prepare, prevent, detect, mitigate, recover, and conduct root cause analysis.

> The PAGO MDR Connection
>
> PAGO's MDR service approaches this lifecycle a bit differently. We build containment directly into the cycle between detect and mitigate, and move quickly into live forensics to get to the root cause fast.

MFA coverage, EDR deployment, log collection, backup protection, privilege controls, network segmentation, response playbooks, and recovery drills do not do much good sitting in isolation. AI should be used on top of that foundation to strengthen an

© 2026 PAGO Networks. All rights reserved.

analyst's judgment. But things like the nuances of a customer's environment, business impact, account context, timing of actions, and false positive likelihood still require human validation. Ultimately, AI-driven defense succeeds or fails based on how well it is integrated into operational process and judgment, not on the AI capability itself. PAGO recognized the importance of this validation model back in 2017 when we first deployed AI-based EPP products, and we have built our TDIR practice around it ever since.

Conclusion

AI is not reinventing ransomware as a new kind of attack. It is sharpening the speed and precision of the existing attack process. Defenders need to stop treating detected signals as isolated events and instead identify breach patterns and prioritize response within a limited window of time. In this process, AI should not replace a defense team's judgment. It should be used to make that judgment faster and more consistent.

Paul Furtado said he does not expect fully autonomous software to emerge anytime soon, and stressed that the value of AI lies in "augmentation and automation," not replacement. Final judgment and accountability in AI-powered defense still rest with the operating team.

→ Takeaway

1. AI did not reinvent ransomware. It just made the existing attack chain faster.
2. With data exfiltration sometimes wrapping up in 72 minutes, the speed of investigation and containment after detection is what matters most.
3. AI-driven defense does not replace basic security controls. PAGO MDR strengthens judgment by adding containment and live forensics between detect and mitigate.

© 2026 PAGO Networks. All rights reserved.

II. Redesigning Security Operations

SOC Staffing Strategy for 2030: Combining AI with Security Expertise

Executive Summary

Pete Shoard said the security operations center of 2030 will not shrink, and its human element will not be cut. Peter Firstbrook agreed with him during the closing keynote on day two of the Gartner SRM Summit, going even further to say the number of people working in security will actually grow by 2030.

The core idea of this session was that SOC staffing needs to evolve into a hybrid organization, roughly half human and half AI. The shift toward 2030 breaks down into three main pillars.

- **Alert triage** moves into AI's territory, and analysts shift into a validator role, checking the results AI has already organized into cases
- **Detection engineering** shifts toward a developer mindset, building a SOC environment around 'detection as code'
- Security moves away from reactive response and toward proactive exposure management through **continuous offensive security testing**

Rather than planning to shrink their security teams, leaders were advised to redesign those teams around new skills and roles.



Staffing the SOC in 2030 by Pete Shoard

© 2026 PAGO Networks. All rights reserved.

1. Threat or Opportunity? Rethinking AI in the SOC

Pete Shoard opened with a provocative question: "Do you think you will still need a level-one triage analyst next year, or in 2030?" He explained that the threat intelligence, data querying, and playbook-building skills SOC teams have spent years developing are all directly affected by AI, and framed this as an opportunity for even less experienced analysts to use sophisticated tools and deliver value to the business.

2. Key Shift 1: Alert Triage Shrinks, and the Validator Role Emerges

The first major change is to manual alert triage as we know it. According to Gartner's survey data, 65% of analysis work is already happening through contextualized alerts, and time spent on routine, repetitive tasks has dropped by 82%.

Analysts used to have to look at complex logs and work out what they meant, who did what, whether it was normal, and whether it required action. Going forward, Pete Shoard explained, AI will bundle fragmented alerts into a single, context-rich 'case,' removing the need to build up that specific knowledge and skill set. The human role shifts from triaging alerts to validating them.



© 2026 PAGO Networks. All rights reserved.

3. Key Shift 2: A New Mindset for Detection Engineering

While AI takes repetitive work off analysts' plates, the workload for security engineers is expected to grow sharply. Gartner projects that by 2028, there will be more engineers than analysts inside the security operations center, largely because every update to an AI model or change in detection logic requires the whole system to be re-verified and re-tested.

To handle this, detection engineering needs to adopt software development practices like detection-as-code (DaC) and CI/CD pipeline automation, treating rules and queries as code managed through version control, with testing and deployment handled through automated pipelines. Going forward, SOC security engineers will need to move well beyond writing rules, into prompt design, data pipeline management, and AI workflow design, all of which calls for a developer mindset.



4. Key Shift 3: From Reactive Response to 'Exposure First'

The point Pete Shoard emphasized most in this session was that protecting an organization proactively matters far more than reacting after the fact.

As the attack surface expands rapidly across cloud and digital assets, he explained, the old model of cleaning up after an attack has hit its limits.

© 2026 PAGO Networks. All rights reserved.



In simple terms, organizations need to constantly attack themselves to find their own weaknesses. This means shifting away from traditional penetration testing toward a higher rate of continuous, automated simulation testing, running Continuous Offensive Security Testing (COST) dynamically whenever new threat intelligence surfaces or infrastructure code changes.

Four-Step Journey for Implementing COST



© 2026 PAGO Networks. All rights reserved.

Conclusion

The message from this session and its core recommendations was firm. It echoes something Gartner has said in past reports too: 'Predict 2025: There Will Never Be an Autonomous SOC.' A fully autonomous SOC simply does not exist.



- **Scrap any headcount reduction plans:** by 2030, security teams will not be running with fewer people than today. More engineering and offensive security expertise will be needed
- **Make exposure management continuous:** retire calendar-based annual reviews in favor of Continuous Offensive Security Testing and Continuous Threat Exposure Management as everyday operations
- **Develop threat experts:** shift toward a role that validates AI output through a business lens
- **Bring a developer mindset to detection engineering:** treat detection logic as code (DaC), with version control and CI/CD test pipelines to keep detection systems reliable and flexible

→ Takeaway

1. The SOC of 2030 is not shrinking. Roles are just changing (from triage to validator).
2. Detection engineering is shifting toward a developer mindset (DaC, CI/CD).
3. The paradigm is moving from reactive response toward continuous, COST-based attack simulation.

© 2026 PAGO Networks. All rights reserved.

Hiring AI Agents for SOC Teams and Running a Hybrid Operation

Executive Summary

Bringing AI into a security operations center is not simply a technology selection decision. It is a hiring process, one where you are bringing a new team member on board. This report looks at how quickly the AI SOC trend has taken off over the past 12 months, and walks through the four-step process security leaders need to follow to bring an AI agent onto the team.

Successful AI adoption does not come from blind faith. It starts with a clear job description, rigorous guidelines and performance metrics, and well-defined grounds for termination, or guardrails.

> "If our earlier report gave you a preview of the 2030 hybrid SOC strategy, this one covers the practical steps for turning that future into reality: how to interview and hire your first AI agent for the team today."

1. A Paradigm Shift in Adopting AI

Eric Ahlm said AI is going to affect our workforce, and that this session was about how we look at our teams, how we structure roles, and how we divide up work. Interest in AI SOC has exploded over the past 12 months, but he noted that operational leaders need to separate the hype from reality.

A fully autonomous SOC with no human oversight might be technically possible, but he cautioned that this is not the outlook for 2030. AI team members need to be evaluated and improved based on how effectively they perform specific tasks against a clear baseline.

© 2026 PAGO Networks. All rights reserved.



What Counts as a Successful AI Hire: Improvement Over Baseline

The only real reason to bring on an AI agent is to make a measurable operational improvement. If AI cannot meaningfully improve at least one of the metrics below, it is better not to hire it at all.

Evaluation Area	Improvement Over Baseline (Example)
Efficiency	A task that used to take 2 hours now takes 5 minutes
Error rate	Alert triage error rate drops from 20% to 5%
Performance improvement	Mean time to detect (MTTD) drops from 2 hours to 30 minutes
Skills required	A junior analyst can now handle work that used to require a senior analyst
Program growth	Went from investigating only 85% of incoming telemetry to 100%



© 2026 PAGO Networks. All rights reserved.

2. A Four-Step Guide to Hiring an AI Agent

Step 1: Define the job requirements

The job you hire AI for should not be something entirely new. It should be an existing function your team already handles. It is also worth making sure the role covers enough real, ongoing volume to justify the investment. Common early AI roles include alert triage, augmented investigation, alert enrichment, and reporting.

Step 2: Set performance targets

How the new technology will solve current pain points needs to be documented in empirical numbers, not emotional statements. The table below is a framework you can use to track performance during interviews and technical evaluation.

Use Case	Key Benefit	Current Team Workload	Desired AI Outcome	Final Impact
Triage (alert classification)	Efficiency gain	3 tier-1 analysts (120 hours/ week)	Handles 80% of triage, requiring only 10 hours/week of oversight	Measurable reduction in workload
Augmented investigations 1	Performance improvement	Tier-2 analyst spends 2 hours per investigation	AI enriches data and surfaces detection hypotheses; security expert validates within 30 minutes	MTTD reduced by 1.5 hours
Augmented investigations 2	Skills asset building	Tool knowledge gaps mean only senior analysts can investigate	Natural language AI interface handles tool syntax	Junior analysts can now perform higher-level work

Step 3: Source your AI talent

Depending on the organization's environment, AI talent can be sourced through one of four paths.

- Buy a dedicated AI SOC solution: adopt a specialized product already on the market

© 2026 PAGO Networks. All rights reserved.

- Use an existing platform: leverage the AI roadmap of the SIEM or ticketing system you already use
- Engage an MDR provider: use a managed service provider's hybrid offering
- Build in-house: connect it to internal AI initiatives and train it on your own data

The PAGO MDR Connection

The 'engage an MDR provider' sourcing path came up directly in this session. PAGO has applied the concept of validation to our MDR service since 2017, when we first started supplying AI-based products. Applying AI to alert triage can make the work more efficient, but the concept of validation does not go away.

Step 4: Set interview questions and guardrails

Beyond asking a vendor to walk through features, Eric Ahlm said you need to interview the AI itself, so to speak. In his words, ask questions like, "Can you do this job? Have you worked in this field before? Can you prove it? Do you have references?" The key, he explained, is that the answers need to be grounded in data and figures showing improvement over the current state.

- Can the AI's capabilities be mapped to the key areas and metrics your organization wants to improve?
- How long is the time to value, from initial training through actual deployment?
- What is the process for handling feedback and resolving conflicts when the AI's judgment clashes with a human's?

Eric Ahlm said his personal favorite question is about grounds for termination: what specific security policy or data access violation would immediately shut the AI down, and having that guardrail clearly defined is essential.

3. The 2030 Hybrid SOC Org Chart

The org chart of 2030 will not look revolutionary at the structural level. Instead, every individual on the team will have their own 'agentic teammate,' forming a hybrid structure. Routine, tactical execution goes to AI, while direction-setting and program management stay with security professionals.

© 2026 PAGO Networks. All rights reserved.

The Org Chart of 2030 — The Hybrid Workforce



Role	Security Professional's Responsibility (Strategy/Management)	AI's Responsibility (Execution/Tactics)
Detection Engineer	Detection development and direction, prompt design	Proposing and generating needed detection code, testing and troubleshooting code
Systems Engineer	System efficiency management, API/MCP integration architecture	System analysis processing, normalizing command syntax
Threat Analyst	Incident handling, response coordination	First-pass alert triage and enrichment, drafting augmented investigations and response playbooks
Threat Expert	Leading threat hunting, planning offensive programs	Generating threat hunting hypotheses through historical review and indicator collection
Exposure Management	CTEM coordination, internal implementation management	Augmented validation, automated remediation of exposure risk
Offensive Tester	Coordinating offensive tests and setting scope	Executing penetration tests, secure code review

> Building **an agentic workforce** for security operations starts with defining job roles, metrics and hiring requirements.

© 2026 PAGO Networks. All rights reserved.

Conclusion

Eric Ahlm closed the session with one central message: "Building an AI agent for security operations is not the starting point. Real progress starts with understanding job roles, performance metrics, and hiring requirements."

Listening to this session as an MDR provider, PAGO came away with our own take on alert triage. It is not about assuming an AI SecOps platform can simply replace the work an analyst does whenever an event fires from products like our EPP or EDR. It is about asking, "How long does our threat analyst currently take to handle an event like a malware detection?" Establishing that baseline is the realistic way to bring an AI agent into the security operations center as a genuine teammate.

"Hallucination" is a word that gets used constantly these days. But people can also project unrealistic expectations onto AI, which is exactly why Eric Ahlm's grounded, practical guidance made this such a useful session.

→ Takeaway

1. Adopting an AI agent is a hiring process, not a technology purchase.
   Judge it by improvement over baseline.
2. Do not hire an AI without going through all four steps: job requirements, performance targets, sourcing path, and guardrails.
3. Even when alert triage shifts to AI, validation does not disappear. PAGO MDR performs that validation role.

© 2026 PAGO Networks. All rights reserved.

From Reactive Response to Proactive Prevention: Why CTEM Matters

Executive Summary

"Finding vulnerabilities is actually pretty easy. That is not what makes exposure management hard."

Steven Santos opened his session with that statement. Security teams already use a wide range of tools to surface exposure items like vulnerabilities, externally exposed services, cloud misconfigurations, and identity risk. What remains is not the discovery itself. It is determining whether an identified exposure could actually turn into real risk, and connecting that judgment to action inside the organization.

1. CTEM: A Way to Separate Exposure That Leads to a Real Attack Path

Continuous Threat Exposure Management (CTEM) was presented as an approach for identifying and managing the exposures within an organization that are both likely to be exploited and would carry significant business impact.



CTEM program adoption is the greatest accelerator to identify and manage critical exposures

Where traditional vulnerability management tended to prioritize patching based on CVE and CVSS scores, CTEM is closer to a broader, repeatable operational cycle. Rather than simply working down a list by severity score, teams need to consider what assets actually matter to the business, whether that asset is reachable from outside, whether access controls or monitoring are in place, and whether it could realistically be exploited.

Finding a lot of risk and actually reducing risk are two completely different things. That is exactly why Gartner positioned validation and mobilization as the next critical challenges in this session.

© 2026 PAGO Networks. All rights reserved.

2. Mobilization: The Step Exposure Management Cannot Skip

Identifying exposure and setting priorities does not automatically reduce risk. Lowering the odds that an exposure gets exploited requires deciding what to fix, what risk to accept, and where to apply compensating controls. That is mobilization: not just cutting a patch ticket, but defining the needed action and making sure it actually gets executed by the team responsible.

There is not a single fixed response method. Some assets might need patching right away. Others may be harder to fix quickly because of service impact or operational constraints. In those cases, organizations need to weigh risk acceptance or mitigation.



Mobilization is hard mostly because of organizational dynamics, not technology. If the owner of an at-risk asset does not understand why action is needed, or if it is unclear who decides, approves, and executes, the risk just stays put.

A quick note on terms: Remediation vs. Mitigation

Remediation means directly fixing the vulnerability or misconfiguration. Mitigation means reducing the likelihood of exploitation through compensating controls, like tighter access restrictions or enhanced monitoring.

© 2026 PAGO Networks. All rights reserved.

3. The Role of the Mobilization Coordinator

This is where a mobilization coordinator becomes necessary. Turning identified exposure into actual risk reduction requires judgment and execution across several teams working in sync. Steven Santos proposed this role as a way to close that gap. It is not a ticket router. It is closer to a coordinator who interprets what an exposure means and aligns priority and ownership across security, IT operations, GRC, and business system teams.

Steven Santos explained that organizations with a dedicated mobilization coordinator can shorten the time between discovering risk and actually reducing it, compared to organizations that rely solely on traditional vulnerability remediation workflows.



4. Exposure Data Extends Into TDIR

Exposure management does not stop at vulnerability management. Steven Santos explained that exposure data can also play a meaningful role in TDIR, threat detection, investigation, and response.

When these two areas connect, the SOC's decision-making criteria change. The same alert warrants a different response priority depending on whether it touched a critical, externally exposed asset, whether it connects to a path an attacker could exploit, and whether access controls or monitoring were in place.

© 2026 PAGO Networks. All rights reserved.



Conclusion

CTEM is not just a methodology for finding more vulnerabilities. The real value of exposure management does not come from listing exposures as isolated items. It comes from prioritizing them based on real attack path potential and business impact, then connecting that to actual remediation.

The PAGO MDR Connection

From PAGO's perspective, this session's message lines up with a direction we have already leaned into while delivering MDR services. It is not enough to treat a detected alert as a single, isolated event. It matters whether the affected asset is exposed externally and whether that exposure could plausibly become a real attack path. PAGO uses this context to help customers prioritize which of many threats to address first.

→ Takeaway

1. Finding more exposure and actually reducing risk are different problems. Validation and mobilization are what matter.
2. Mobilization is more of an organizational challenge than a technical one. Ownership, approval, and execution need to be clearly assigned.
3. When exposure data connects with TDIR, the SOC's response prioritization becomes far more proactive.

© 2026 PAGO Networks. All rights reserved.

AI-Powered Attack Automation: A Practical Starting Point for Security Operations

Executive Summary

"The core shift is not improved capability. It is expanded reach."

Leigh McMullen used this session to describe how threat actors are actually using AI. Attackers do not suddenly turn into experts because of AI. They use it to execute the tactics and techniques they already have, faster and at a broader scale.

1. How Threat Actors Are Using AI

McMullen organized the ways threat actors use AI into four categories: upscaling, target selection, obfuscating attacks, and accelerating and automating repetitive tasks.

How Threat Actors Are Using AI, Generally



In this context, he said, "Script kiddies are getting more out of AI than we are." A typical script kiddie takes tools and code built by someone else and stitches them together for their own purposes. McMullen argued that security professionals in the AI era need to adopt the same approach: rather than just consuming AI as a finished security product, they need to gain hands-on experience assembling capabilities themselves to solve problems.

2. Target Selection: What to Investigate and Block First

Gartner explained that threat actors are using AI as a kind of targeting engine: gathering intelligence, selecting targets, and executing known exploits quickly and precisely.

© 2026 PAGO Networks. All rights reserved.

From a defensive standpoint, security teams cannot treat every vulnerability and every alert as equal priority. What matters is understanding which threat actors are most likely to target your organization, what TTPs (tactics, techniques, and procedures) they favor, which vulnerabilities or misconfigurations they tend to exploit, and whether that exposure exists in your environment.

This matters for MDR providers too. Simply knowing that "a new vulnerability has been disclosed" is not enough. You need to understand which assets in the customer environment it touches, whether it could become a real attack path, and whether related accounts or assets are already tied to a detection alert.



3. Obfuscating Attacks: Using AI to Evade Detection

Threat actors are using AI to reshape attack tools and code into forms that are harder for traditional detection systems to identify. McMullen gave examples: building lookalike tools and websites, rewriting known malware patterns in different languages, and hiding backdoors inside open-source software.

Detection also needs to change as a result. Relying solely on file signatures or known malware patterns is not enough anymore. Teams need to look at who did what, from where, with what privileges, and in what order, even when the activity looks like a legitimate tool being used normally. McMullen offered an interesting response security teams can take here: "You can generate synthetic data with AI to keep threat

© 2026 PAGO Networks. All rights reserved.

actors busy." By setting up realistic deception technology to lure attackers in, you can observe what tools they use and what paths they probe, and feed those observed TTPs back into detection and response.



4. Accelerate and Automate Tasks: Automating Repetitive Attack Steps

McMullen noted that even sophisticated threat actors are not necessarily using AI in flashy ways. Gartner described this as "not clever attacks, but quiet scaling." APT (Advanced Persistent Threat) groups are using AI in "the most boring way possible." AI is not inventing entirely new attack strategies. It is being used to repeat and automate familiar attack procedures faster.

The Living Off the Land (LOTL) kill chain illustrates this clearly: initial access, establishing a foothold with built-in tools, privilege escalation, internal reconnaissance, lateral movement, credential access, data collection and exfiltration, and maintaining persistence. None of these are new stages. They are steps that have shown up repeatedly across many attacks already.

What is changing is not the shape of the attack. It is the execution speed and how often it can be repeated.

© 2026 PAGO Networks. All rights reserved.



5. Small Agents: Automation Starts at the Level of Narrow Roles

The final message of this session was about the structure of AI-driven defensive automation. Gartner argued that sophisticated AI operations do not come from one massive agent. They come from small, single-purpose agents cooperating within an ecosystem.



© 2026 PAGO Networks. All rights reserved.

McMullen explained why this structure matters by framing it as a question of how you validate AI output. If one giant agent is carrying the entire task plan on its own, it might produce a plausible-sounding "hallucinated report" instead of actually reviewing the underlying data all the way through. If instead each agent handles one small task and produces one clear output, the overall flow becomes a pipeline that is much easier to verify.

This structure applies to security operations too. A News Agent can collect external threat news, a Threat Agent can analyze threat actors and TTPs, and a SOC Agent can organize alerts and investigation priority.

Conclusion

The message from this Gartner session is clear. The AI-era shift in attacks is not primarily about entirely new attack types emerging. It is about existing attack methods expanding in speed, scale, and repeatability.

The PAGO MDR Connection

From PAGO MDR's perspective, this shift is not simply about bolting an AI feature onto security operations. If threat actors are using AI to increase the speed and scale of their attacks, defenders cannot get by on processing more alerts faster. What matters is filtering out the signals that genuinely matter in a customer's environment and connecting them to assets, accounts, exposure, and threat intelligence, so we can provide the basis for prioritizing action.

→ Takeaway

1. Attackers are not gaining new capabilities from AI. They are repeating existing procedures faster and at greater scale.
2. Just like target selection, defense needs an evidence-based way to decide what to protect and investigate first.
3. Rather than one giant automation initiative, what matters is a structure of small, single-purpose agents connected in a verifiable way.

© 2026 PAGO Networks. All rights reserved.

How Cyber Resilience Gets Proven: A Shift Toward CTI-Driven Security Decisions

Executive Summary

"People feel safer choosing an outcome they already know and can explain than one they cannot predict."

Lampis Alevizos opened his session with two urn experiments to illustrate this point. Applying the same logic to cybersecurity decision-making, he explained that many organizations judge their current security posture based on things that are easy to confirm, like whether they meet compliance requirements or have certain security capabilities in place, rather than examining how an actual attacker might get in and where their defenses might fail.

1. The Limits of Compliance-Centered Security

Alevizos pointed out that many organizations still describe their security posture primarily in terms of compliance status and whether security capabilities have been deployed. That kind of information is useful for internal reporting and audits, since it shows what capabilities an organization has, what standards it meets, and what is improved over time.



© 2026 PAGO Networks. All rights reserved.

But he explained this using the difference between Urn A and Urn B. Urn A ('what feels safe') is close to what organizations already have and can explain: heat maps that show risk by color or score, compliance artifacts, security assessment results, and confirmation that certain controls are in place. Urn B ('what is real') is what actually needs to be verified in a live attack scenario: adversary behavior, attack paths, and operational uncertainty.

What security teams need to confirm is not just "what do we have." It is "does it actually work when an attack happens."

2. CTI: Turning Threat Data Into a Basis for Decisions

In this session, cyber threat intelligence (CTI) was not framed as simply collecting the latest threat data or writing reports. Alevizos explained that CTI should not stop at listing every possible threat. It needs to narrow down to the attackers and attack paths that are actually relevant to your organization, and provide the grounding needed for a decision.

The value of CTI is not in the volume of information. It is in helping the organization decide which threats to validate first and which actions to prioritize.



© 2026 PAGO Networks. All rights reserved.

3. TiDE: Connecting Threat Intelligence to Validation and Decisions

To connect this narrowed threat data to real decision-making, Alevizos introduced TiDE, or Threat-Informed Defense Effectiveness, an approach for confirming how effective your defenses actually are based on threat data.

Alevizos framed TiDE as five steps: Identify, Prioritize, Validate, Measure, and Decide.

- **Identify:** pinpoint the attackers who matter most to your organization
- **Prioritize:** focus on the threats that need to be addressed first
- **Validate:** confirm whether detection and containment actually work against real attacker behavior
- **Measure:** measure the effectiveness of your security capabilities
- **Decide:** use that evidence to decide what to fix and what to prioritize



The Validate step in particular is about confirming that the security capabilities and procedures documented on paper actually function as intended. Security teams should not stop at reviewing what is written in policy. They need to simulate or emulate attacker behavior to confirm real defensive effectiveness.

© 2026 PAGO Networks. All rights reserved.

4. Framing Risk Decisions in Terms of Business Outcomes

Later in the session, Alevizos explained that cyber risk decisions need to be communicated in the language of business outcomes, not security capabilities.



For a security investment to be persuasive, "what you are protecting" needs to come before "what you are buying."

Actions You Can Take Tomorrow Morning

- Identify three threats applicable to you: name the attacker and their modus operandi
- Turn them into concrete scenarios: trace each threat from entry point to business impact
- Validate where defenses fail: test control effectiveness, not documentation
- Force trade-offs and accountability: make at least one explicit choice per scenario

© 2026 PAGO Networks. All rights reserved.

Conclusion

The message from this Gartner session is straightforward. Cyber resilience is not something you get automatically by bolting on a new security product or a separate program. It is proven by confirming what actually holds up under attack, where it might fail, and what parts of the business would be affected.

The PAGO MDR Connection

As an MDR provider that detects, analyzes, and supports response decisions around a customer's security threats, this connects directly with the session's emphasis on "connecting detection results to decisions." What customers need is not just an alert that something was detected. They need to understand which attack scenario it might connect to, which assets and business functions it could affect, and what action is needed.

→ Takeaway

1. Resilience is not proven by "what you have." It is proven by "whether it actually works under attack."
2. CTI should not just list threats. It needs to narrow the field to relevant attackers and provide a basis for decisions.
3. Security investment should be framed around "what you are protecting," not just "what you are buying."

© 2026 PAGO Networks. All rights reserved.

III. Sharpening Judgment and Addressing Emerging Risks

Exposure Management: Sharpening How the SOC Prioritizes

Executive Summary

"Sometimes value that is invisible on its own becomes clear once you put two things side by side."

Pete Shoard used a peanut butter and jelly sandwich analogy to describe the relationship between Exposure Management and TDIR (Threat Detection, Investigation and Response). The point was not simply to merge the two into one thing.

TDIR is the critical security operations work of detecting, investigating, and responding to threat signals. When you connect that to the exposure status, attack path, vulnerabilities, configuration, and access privileges tied to the affected asset, security teams can make a much sharper judgment about what to investigate and address first.

1. What Should You Look At First Among So Many Alerts

It is fair to call TDIR the most important activity in security operations. Security teams have built up log collection, correlation, investigation, and automation capability through technologies like SIEM, XDR, and SOAR, and are now integrating threat intelligence and AI capability into detection and investigation as well.



© 2026 PAGO Networks. All rights reserved.

But the problem Pete Shoard pointed to was not a lack of detected information. SOCs already have plenty of alerts, events, logs, and threat data piled up. The core of TDIR is not increasing the volume of alerts. It is investigating detected threat signals and connecting that work to actual response.

2. Real Risk Becomes Visible When Detection and Exposure Connect

Pete Shoard explained that turning a detection alert into an actual response requires factoring in the criticality, exposure status, and attack path of the affected asset. Exposure Management is an approach for confirming an organization's attack surface, vulnerabilities, configuration, assets, and attack paths, and determining whether a discovered exposure could realistically turn into risk.



3. Judgment Gets Sharper When Different Insights Connect

The reason TDIR and Exposure Management need to be used together is that attackers do not respect the boundaries security teams draw between their own tools and data sets. Attackers do not look at vulnerabilities, misconfigurations, exposed services, excessive privileges, and detection gaps as separate items. They chain those elements together into a single attack path: initial access, lateral movement, privilege escalation, and data access.

© 2026 PAGO Networks. All rights reserved.



Simply dumping vulnerability data, configuration data, attack surface data, validation data, threat intelligence, alert data, and event data into a single repository does not automatically produce accurate judgment. Security data varies in source, purpose, and structure, and asset criteria, risk scores, and detection priority can differ even within the same organization.

What Pete Shoard proposed was not consolidating data into one place. It was connecting the basis for judgment across each domain. The point is not to gather more data. It is making clear what decision each piece of data is meant to support, and making sure that judgment actually leads to action.

Conclusion

Connecting TDIR and Exposure Management is not simply about data consolidation. TDIR detects, investigates, and responds to threat signals as they happen, while Exposure Management provides the standard for judging what asset, exposure status, and attack path that signal connects to. When the two connect, security operations can interpret an alert as real risk rather than a standalone event.

© 2026 PAGO Networks. All rights reserved.

The PAGO MDR Connection

From an MDR provider's perspective too, the goal is not delivering more alerts. It is helping customers interpret a detection alert against the asset's exposure status and attack path, and prioritize response accordingly. Ultimately, combining Exposure Management and TDIR is about interpreting alerts within real risk context and deciding what to check and respond to first, an operational question as much as a technical one.

→ Takeaway

1. What is missing is not the volume of alerts. It is the basis for prioritizing them.
2. Real risk becomes visible when detection alerts are paired with exposure status and attack path.
3. The key is not data consolidation. It is a structure that connects each piece of data to the decision it informs.

© 2026 PAGO Networks. All rights reserved.

Shifting IT and Security Landscapes in the AI Era, and the New Role of the CISO

Executive Summary

The Day 2 keynote, led by Peter Firstbrook, an analyst with Gartner Business and Technology Insights, pulled together the key themes raised on Day 1. Grounded in a vision of 2030, the session covered how AI will affect IT environments and the security workforce, defense and adoption strategy, and how the CISO role itself is evolving.

This report is the tenth and final entry in our series covering Gartner on-site.



1. Cybersecurity at a Crossroads of Innovation and Change

Peter Firstbrook opened by saying, "I have been in this industry for 30 years, and I have never seen technology and the pace of change touch so many parts of what we do, across my entire career," underscoring the unprecedented scale of the current shift.

- **How AI will affect IT environments by 2030**
- **How 2030 will reshape the cybersecurity landscape**
- **Strategies the CISO needs to prepare for the future**

© 2026 PAGO Networks. All rights reserved.

2. Four Organizational Models for an AI-Driven IT Environment in 2030

Peter Firstbrook said AI will fundamentally change how IT departments operate by 2030. Companies expect AI's efficiency gains to let smaller teams achieve higher output. 'Democratized IT,' where business units handle IT work directly, will accelerate, and the balance will shift from buying third-party software toward building it in-house. He grouped the resulting IT organizational shapes into four archetypes.



Archetype	Description
Lean IT	Uses AI to reduce headcount and workload, focusing on meeting enterprise demand with a smaller team
Amplified IT	Keeps the same headcount while using AI to expand capacity and meet rising business demand
Democratized IT	Business units and technology teams work together to close the gap between IT capacity and enterprise demand on their own
Dual-Builder IT	Reduces reliance on third-party software in favor of building in-house, with business units actively running their own technology services

© 2026 PAGO Networks. All rights reserved.

Gartner's analysis was that the first two groups, Lean and Amplified IT, will process work more efficiently but look largely unchanged from a business perspective, while the latter two, Democratized and Dual-Builder IT, will become genuine drivers of business value, helping business units transform how they operate.

3. Jevons Paradox and the Reshaping of the Cybersecurity Workforce

Another point worth noting for security leaders is Gartner's forecast that AI adoption will not shrink the security workforce. Overall, the number of cybersecurity professionals is expected to hold steady or grow. Organizations running an AI First or Dual-Builder model in particular may need 25% more IT staff by 2030 than they have today.

Gartner attributed this to the 'Jevons Paradox,' the pattern where lowering the cost of a good or task actually increases how much of it gets consumed or performed. Peter Firstbrook compared the era of physically signing and mailing paper documents to today's email environment. Email drastically cut the cost of sending a message, but paradoxically, people now spend hours a day managing their inbox.

The same logic applies to cybersecurity. Even if AI makes something like threat hunting much easier, for an organization that never did threat hunting before, that becomes new work added to the security team's plate. Unless existing work is fully eliminated, adding a new capability tends to increase overall workload. So despite AI's productivity gains, the cybersecurity workforce needs to grow, and job redesign and reskilling across governance, IAM, SOC, and other domains becomes essential to build the new capabilities required.

4. Four Key Security Challenges Facing the CISO in the AI Era



Protecting employees who use AI

As employees deploy their own AI agents on personal desktops to boost productivity, prompt injection and data poisoning attacks have become a persistent risk. New protective categories like secure browsers and AI usage control are emerging in response, and organizations now face the need to rigorously manage where sensitive data lives and who can access it through data security posture management.



Protecting the AI business applications an organization builds

As business units use LLMs to build their own applications, AI code security assistants that help secure code in real time during development, along with AI governance platforms that standardize supply chain and risk management, become critical. A number of organizations have set the following three policies.

- LLM-based AI use is freely permitted for personal, individual work
- Integrating with enterprise-wide applications, such as Salesforce, requires support from a dedicated team spanning business, security, and engineering
- Core transaction systems are restricted so that only the IT department can access or build on them

Firstbrook also stressed that establishing the 'owner accountability principle' matters most here. A business owner who drives adoption of a technology or AI capability also needs to carry full accountability for the resulting cybersecurity risk.

© 2026 PAGO Networks. All rights reserved.

➤ Applying AI innovation to the cybersecurity program itself

Security organizations also need to innovate internally with AI, for instance by training an on-premises LLM on security policy and mobile device usage rules so employees can look up security documentation through a chatbot, or by using an agentic AI-powered cybersecurity assistant to automate the initial analysis of security alerts.

Gartner expects an 'AI SOC agent' to eventually emerge that analyzes and investigates data across multiple individual tools and provides guidance. Still, Gartner was firm that "a fully autonomous SOC will never exist," and repeatedly emphasized that the real question with AI adoption is how it can improve outcome-driven metrics for the security program.

➤ Protecting the organization from AI threats: Shift Left and CTEM

Attackers are not necessarily inventing entirely new techniques. They are using AI agents to dramatically accelerate the speed of existing attacks. Organizations used to focus their efforts on incident response after the fact, but now the focus has to shift left, to the stage before an alert ever fires.



Alongside this, organizations need systematic data governance and stronger Identity Threat Detection & Response (ITDR), which will sit at the front line of security by 2030. Firstbrook specifically noted the urgent need for strong governance investment

© 2026 PAGO Networks. All rights reserved.

covering not just human identities but machine and agent credentials as well, pointing to the day-one session on IAM, which found that 58% or more of organizations have experienced an actual security incident tied to a compromised machine identity.

Increasing Machine Identities and Incidents



Source: 2025 Gartner Machine Identity Management in a Hybrid, Automated AI World Survey
© 2026 Gartner, Inc. and/or its affiliates. All rights reserved. Gartner is a registered trademark of Gartner, Inc. and its affiliates.

➤ The CISO's Role in 2030: Business Orchestrator

Heading toward 2030, cybersecurity programs need to move from long-range planning toward a continuous, agile planning process, and policy needs to become more open so it does not become an obstacle to business innovation.

Evolution of the CISO's Role in 2030



Source: RESTRICTED © 2026 Gartner, Inc. and/or its affiliates. All rights reserved.

© 2026 PAGO Networks. All rights reserved.

Category	2026 (Today)	2030 (Future)
Departmental role	Cost center	Value enabler
Primary focus	Cybersecurity manager	Organizational resilience
Security philosophy	Prevention of every breach	Anti-fragility: turning crisis into growth
Governance	Centralized management and accountability	Distributed governance and shared accountability
Core identity	Manager	Orchestrator

The CISO of the future should not try to build a precarious tower by carrying every security risk alone with insufficient resources, Firstbrook said. Just as a CFO sets financial targets and boundaries for business units and audits them at year-end, the CISO needs to give business units and technology partners clear guidelines and assign them 'owner accountability.' The CISO should not carry every risk personally, but instead become the distributor and orchestrator of cybersecurity accountability.

Conclusion

The central question raised by this Gartner SRM Summit was not about technology itself. It was, "How do you realistically restructure security leadership as the environment keeps shifting?"

Firstbrook said many CISOs today stand at an important crossroads: keep carrying every security risk alone with limited resources, or start sharing accountability and ownership by working more closely with business units. This wraps up our series of ten on-site reports from the Gartner SRM Summit.

The conclusion from this year's Gartner SRM Summit is clear. The changes driven by AI are not a prediction about the future. They are a reality we need to accept and respond to right now.

© 2026 PAGO Networks. All rights reserved.

In an era where no CISO can carry every risk alone, PAGO will do our part as a partner focused on detection and response, operating within a shared responsibility structure alongside the business.

→ Takeaway

1. AI makes IT organizations smaller and more agile, but the Jevons Paradox means security headcount actually grows.
2. The CISO has to manage four challenges at once: employee AI use, business AI apps, AI within the security program, and AI-driven threats.
3. By 2030, the CISO is not a manager carrying every risk alone. They are an orchestrator who distributes accountability.

© 2026 PAGO Networks. All rights reserved.

The Shift in Security Validation for the AI Era: Trust Before Speed

Executive Summary

"29 minutes. That is how much shorter the attacker's window has gotten."

Amitai Ratzon opened his session by pointing out how quickly breakout time, the time it takes an attacker to move from initial compromise to internal systems, has been shrinking. Average breakout time was 98 minutes in 2021, dropped to 62 minutes in 2023, and is down to just 29 minutes in 2025.

That number explains why security validation needs to change for the AI era. As attackers move faster, periodic checks alone make it harder to identify exploitable risk in time.

1. AI Delivers Speed, but Production Demands Trust

AI is speeding up security validation. It can analyze an organization's assets, vulnerabilities, and attack paths faster, and complete repetitive verification work in a fraction of the time.

But in a real operating environment, speed alone is not enough. The results of security validation need to be trustworthy and usable in actual decision-making. If the validation process is not controlled or the basis for it is not clear, the results will not carry much operational weight.



© 2026 PAGO Networks. All rights reserved.

2. What Matters More Than Automation Is a Verifiable Structure

Amitai Ratzon emphasized the gap between the speed AI provides and the trust a production environment demands. What matters in security validation is not just producing a result. It is whether that result can be trusted and put to use. The process needs to be controlled so it does not disrupt live systems, repeatable, and traceable in terms of execution criteria and outcomes. Safety, repeatability, governance, and auditability form the core of that trust.

Ultimately, a hybrid approach does not mean excluding AI or handing everything over to it. It means using AI's analytical and interpretive strength on top of a controllable, verifiable validation structure, so security teams have a real basis for judgment and action.

Our Hybrid Approach



DETERMINISTIC

- Scripted lateral movement
- Automated exploitation
- Known-CVE chaining



PROBABILISTIC

- AI-generated phishing
- LLM-driven reconnaissance
- Adaptive payload generation

Modern Attacks Chain Both. So Must Modern Defense.

3. Moving From Periodic Checks to Change-Triggered Validation

Amitai Ratzon explained that security validation needs to shift from a periodic cadence to a trigger-based one. Validation should run whenever a new identity is created, a vulnerability is detected, asset management data changes, cloud security configuration shifts, or new threat intelligence comes in.

© 2026 PAGO Networks. All rights reserved.

This approach lines up with the direction of CTEM (Continuous Threat Exposure Management). This kind of change-triggered validation becomes even more important in cloud and identity environments, where account privileges shift constantly, service accounts and API keys can open new paths, and a cloud configuration change can create unintended external exposure.



4. Narrowing Findings Down to Actionable Risk

Security teams already have plenty of results. Vulnerability scanners surface countless vulnerabilities, EDR and SIEM generate a stream of alerts, and cloud security tools flag misconfigurations and privilege issues. The problem is not a lack of information. It is the difficulty of judging which items actually matter.



© 2026 PAGO Networks. All rights reserved.

Validation is what matters here. Some findings look risky on paper but turn out to be unreachable by an attacker in the real environment. Conversely, individual items with a low score can combine into a genuine breach path when several conditions line up.

Conclusion

AI can make security validation faster. But what matters in a production environment is not how quickly a result comes back. It is whether that result can be trusted and used in real decisions.

The core message of this session was not to hand every judgment and every action over to AI. It was that combining a deterministic validation structure with AI's probabilistic analytical power is what creates a validation framework you can actually trust.

→ Takeaway

1. With breakout time down to 29 minutes, periodic checks alone can no longer keep up with current risk.
2. Validation needs to combine AI's analytical power with a deterministic structure, repeatable and explainable, to be trustworthy.
3. The goal is not finding more. It is narrowing down to what is real risk and reducing it.

© 2026 PAGO Networks. All rights reserved.

MCP, the Core Communication Protocol for AI Agents: Security Threats and Response Strategy

Executive Summary

As enterprise adoption of generative AI agents continues to explode, MCP (Model Context Protocol), the open interface standard that connects AI agents to enterprise data sources, is quickly becoming a critical piece of infrastructure. MCP collapses the fragmented, complicated individual API interfaces of the past into a single abstraction layer, dramatically improving connection performance and cutting the token costs of AI processing. Craig noted that MCP is on track to become the most impactful core standard protocol for enterprise IT infrastructure since the arrival of HTTP/HTTPS laid the groundwork for internet business itself.

At the same time, Craig explained that because MCP was originally designed with a heavy focus on standardization and convenience, it carries serious security blind spots. Real-world threats already showing up include unauthorized MCP servers left exposed on the open internet with no network perimeter security, attackers abusing prompt injection to turn AI systems into an exfiltration channel for internal confidential documents, and a new breed of C2 scenario where malware embeds MCP client and server modules to let an attacker freely query and manipulate internal assets from outside the network using nothing but prompt commands.

As a result, security leaders need to be careful about starting from scratch on new investment to address MCP-specific risk, and instead actively extend existing security assets they already own, such as SSE (Security Service Edge), SSPM (SaaS Security Posture Management), DLP (Data Loss Prevention), and IAM/PAM (Identity and Access Management/Privileged Access Management), to build a control layer over MCP traffic.

1. Defining MCP (Model Context Protocol) and Its Enterprise Impact

The plumbing behind AI agents

MCP (Model Context Protocol) is an open standard originally designed by Anthropic and later released as open source. The protocol opens a standardized, secure, bidirectional data channel between the rapidly growing number of generative AI

© 2026 PAGO Networks. All rights reserved.

agents and an enterprise's various heterogeneous data sources, databases, SaaS platforms, and private deployment environments.

Craig defined it this way: "If the AI business is a dazzling piece of high-tech architecture, MCP is the electrical wiring and plumbing hidden inside the walls, invisible but holding the whole structure together."

Its footprint as infrastructure, and a massive investment trend

The reason MCP is rising so fast in the enterprise is tied to staggering global AI infrastructure spending. Global AI market spending is projected to grow at a compound annual rate of 32.7% through 2029, reaching a total of 4.7 trillion dollars, and Gartner expects the AI cybersecurity segment alone to grow at an explosive 73.9% CAGR.



At the endpoint level in particular, where MCP powers local development environments and personal assistants, the scale is difficult to overstate. During the session, Craig described how an analyst spun up a Kali Linux container for penetration testing inside Docker Desktop in an AI agent environment, then simply typed into the chat, in natural language, "run a vulnerability scan against our range," without memorizing a single command. Claude routed the request through an MCP server gateway, executed the Kali Linux commands inside the Docker container automatically, and returned the full scan results in three minutes.

© 2026 PAGO Networks. All rights reserved.



AI Spending — It's a Lot

$2,527,845,000,000 (2.5T)

(avg cybersecurity salary of $135k is ~0.00000005% of that)

Market	2024	2025	2026	2027	2028	2029	CAGR 2024-2029
AI services	337,910	439,438	**588,645**	761,042	942,241	1,113,262	26.9%
AI cybersecurity	10,816	25,920	**51,347**	85,997	126,912	172,008	73.9%
AI software	143,189	283,136	**452,458**	636,146	807,420	981,223	47.0%
AI models	5,719	14,416	**26,380**	43,449	60,718	75,832	67.7%
AI platforms for data science and machine learning	15,798	21,868	**31,120**	44,482	61,797	82,194	39.1%
AI application development platforms	5,191	6,587	**8,416**	10,922	13,889	17,019	26.8%
AI data	134	827	**3,119**	6,440	9,814	14,586	155.4%
AI infrastructure	624,757	964,960	**1,366,360**	1,748,212	2,038,887	2,253,118	29.2%
Grand total	1,143,513	1,757,152	**2,527,845**	3,336,690	4,061,679	4,709,243	32.7%

Source: Forecast: AI Spending, Worldwide, 2024-2029, 4Q25

10 © 2026 Gartner, Inc. and/or its affiliates. All rights reserved. Gartner is a registered trademark of Gartner, Inc. and its affiliates.

Gartner

2. Key Security Threats and Scenarios Introduced by MCP Adoption

Unauthorized MCP servers exposed to the internet, and early protocol vulnerabilities

The convenience MCP brings comes with a serious downside: it can lead to critical asset protection incidents. In pursuit of pure development convenience, developers and engineers across many organizations have exposed unauthorized MCP server ports, bound directly to internal databases and file systems, on the open internet with no network access controls or authentication in place.

Craig ran a simple search on Shodan, a threat analysis search engine, and found thousands of unauthorized MCP servers exposed worldwide with no access controls at all, meaning anyone could send a direct remote query straight into confidential file systems and core enterprise databases.

Craig also noted that a high-severity remote code execution (RCE) vulnerability, capable of full system takeover, was discovered in the MCP module of Flowise, a widely used open-source AI orchestration tool, and formally assigned a CVE. This is a sign that attackers are actively and persistently probing structural weaknesses in the protocol itself and treating it as a target.

Prompt-driven data exfiltration and weaponized malware

© 2026 PAGO Networks. All rights reserved.

The most sophisticated and quiet threat scenario is the 'weaponization' of malware that bundles MCP client and server functionality directly into its code. An attacker compromises a trusted endpoint on the internal network and takes over an AI agent environment or infrastructure the user has already authenticated into.



From there, the attacker, sitting in a remote location where legal cooperation and tracing are difficult, can log into their own AI portal connected to the cloud and issue a casual-looking prompt. Enterprise firewalls and inline DLP appliances will likely wave this through, mistaking it for the kind of everyday prompt traffic a normal user regularly exchanges with an AI assistant. This lets an attacker quietly exfiltrate core enterprise assets using nothing more than a few lines of natural language prompt injection, without ever exposing a complex, high-risk detection payload. This is sometimes called a 'prompt to victory' scenario.

3. A CASB-Based Framework for MCP Security

The practical dilemma facing security teams is Shadow AI: there is no way to monitor which unauthorized agents and unapproved MCP servers are springing up and connecting across the organization. To neutralize this new challenge safely, Craig recommends re-applying the CASB (Cloud Access Security Broker) architecture that enterprise security governance built out during the major cloud adoption wave of 2013 to 2015, extending it directly to MCP security design.

© 2026 PAGO Networks. All rights reserved.



CASB Pillar	Key MCP Challenge	Concrete Enterprise Response
Visibility	Automatically detecting every Shadow AI agent and unauthorized MCP port running inside the organization	Deploy a real-time AI-SPM tool to map MCP connection status and data exchange traffic across the enterprise
Compliance	Logging in detail for regulatory and audit requirements around data security	Build a human-readable audit trail and log the 5 W's of MCP usage
Data Security	Preventing MCP channels from being abused to exfiltrate PII, source code, and other business data	Connect existing enterprise DLP policy engines to the MCP gateway to tokenize, mask, encrypt in advance, or block transmission outright
Threat Protection	Blocking and responding to account takeover attacks and malicious MCP-based C2 command execution from infected endpoints	Integrate directly with IAM/PAM platforms to automatically expire OAuth tokens and session keys and isolate compromised sessions the moment a threat signal appears

© 2026 PAGO Networks. All rights reserved.

4. Gartner's Recommendations: Four Core Guidelines for Security Practitioners

➤ Guideline 1: Activate the security infrastructure you already have (SSE, SSPM, API gateway)

Security leaders need to be cautious about rushing into redundant investment just to get a handle on MCP security. Craig said, "Security leaders should review the technology roadmap of the vendors already deployed in their environment and activate the patches available to them."

➤ Guideline 2: Invest in cyber resilience guided by business impact analysis

Security leaders need to run business impact analysis right away to precisely identify the 'gold core process,' the top-priority data pipeline tied directly to business continuity, then concentrate security investment on that critical asset while flexibly adjusting investment in non-critical areas.

➤ Guideline 3: Establish role-based access control (RBAC) and autonomy boundaries

1. **Granular RBAC:** set precise access control rules on agent credentials to completely block access to non-essential servers outside an agent's job scope
2. **Customizable autonomy levels:** require manual approval from a security team member before an agent takes any action with major system-wide impact
3. **Auditability and explainability:** log every reasoning step and decision path an agent takes so it can be explained and verified
4. **Guardrails for critical actions:** require mandatory multi-step verification immediately before any high-risk action executes
5. **Fail-safe mechanisms:** when conflicting conditions or ambiguous signals appear, pause the system safely and escalate to a senior security manager immediately, rather than pushing the action through

➤ Guideline 4: Build proactive SOC threat hunting by combining threat intelligence

Craig explained that integrating threat intelligence directly into the threat detection, investigation, and response (TDIR) workflow to proactively recognize and block real-time attack TTPs (tactics, techniques, and procedures) is essential for maturing the SOC into a proactive defense model.

© 2026 PAGO Networks. All rights reserved.

Conclusion

MCP (Model Context Protocol) is a catalyst technology that can dramatically boost enterprise productivity by unlocking the full potential of generative AI agents, but it is also a serious double-edged sword: left unsecured, it can quietly leak an organization's confidential data. As Craig put it, MCP is on track to become "the single most important communication standard applied across enterprise environments since HTTP and HTTPS." It will soon fade completely from view, running silently and invisibly throughout enterprise IT infrastructure.

As AI agents continue to spread, enterprise adoption is accelerating quickly. With more and more of that adoption happening organically among individual employees, gaining visibility into AI agent activity has become a critical priority. Organizations need to start by checking how far their existing security tools can extend to make AI agent activity visible.

→ Takeaway

1. MCP is set to become a standard with HTTP-level impact, but thousands of servers are already exposed with no protection.
2. Connecting MCP into your existing security stack matters more than buying new tooling.
3. The four pillars of CASB (visibility, compliance, data security, and threat protection) map directly onto MCP.

© 2026 PAGO Networks. All rights reserved.

Mapping Enterprise AI Security Blind Spots and a Phased Response Strategy

Executive Summary

As AI technology rapidly integrates across the business, IT and security environments are going through an unprecedented paradigm shift. Yet a large share of organizations remain stuck in a serious security blind spot, unable to clearly see how AI is actually being used across their business. Based on Craig Porter's session at the 2026 Gartner Security & Risk Management Summit, this report analyzes the risks tied to three critical security blind spots organizations need to identify and manage right away, Shadow AI, AI Browsers, and Agent Identity, and lays out a phased action plan for security leaders.

AI security risk has already reached a dangerous level. A 2025 MIT study found that more than 90% of employees at surveyed companies use personal chatbot accounts for work, driving a sharp expansion of Shadow AI. AI Browsers in particular, acting as autonomous agents, introduce five major security risks including data leakage and token theft. Even more concerning, while 71% of security professionals say they are aware that AI agents have access to core systems, only 16% say they have actually established real governance and control over that access.

Security leaders need to move past one-sided restriction and operate under the principle that "you cannot protect what you cannot see," running an enterprise-wide AI asset management program. AI Browsers should be banned in production environments as a rule, with use limited to sandboxed pilots, and organizations need to build an Identity Visibility and Intelligence Platform (IVIP) architecture to gain visibility into the identities of increasingly complex agents. Ultimately, applying phased guardrails across 30, 60, and 90-day windows, paired with distributed governance that shares accountability with business units, is what enables safe AI growth.

1. A Paradigm Shift in AI Security, and the Risk of Structural Collapse

In his Gartner session, Craig compared building collapses, which still happen despite modern construction techniques, to the essence of security risk. A building does not collapse from a single shock. It fails because of an accumulation of tolerated risks: slightly substandard materials, design cracks that were known about but deferred or ignored, and quiet, unauthorized renovations that were never stress-tested. He

© 2026 PAGO Networks. All rights reserved.

argued this closely mirrors the AI security crisis many organizations face today. Many security teams enforce strict controls on official, sanctioned platforms, but the higher those internal walls get, the deeper real risk burrows into unofficial areas that central oversight cannot reach. The center of security risk is shifting rapidly beyond the traditional enterprise perimeter, into employees' personal mobile devices, wearables, and personal AI tools and agent transactions. Security professionals, Craig argued, need to move past simply being the 'gatekeeper' blocking innovation, and build new governance capability that can guide Shadow AI into safe, sanctioned territory instead.



2. The First Blind Spot: The Real Threat of Shadow AI and How to Control It

Shadow AI refers to any unauthorized AI asset that employees use individually in their work, or embed into external development processes, without going through a formal security review and approval process. Shadow AI shows up in four main forms across the enterprise, and it goes well beyond an employee casually using ChatGPT.

Shadow AI Type	Core Vulnerability and Risk	Recommended Response
Employee	Sharing PII, PHI, and other sensitive or regulated company data with unofficial personal chatbots, leading to data leakage	Detect unofficial AI sites at the browser and endpoint level, and automatically redirect users to an approved internal alternative

© 2026 PAGO Networks. All rights reserved.

Developer	Bypassing controls to download open-source AI models locally from sources like Hugging Face, undermining library supply chain security	Track custom model assets through the CI/CD pipeline and enforce integration into the internal asset repository
Technology Provider	Existing SaaS and enterprise solution updates bundling free agentic automation features by default, expanding the attack surface	Enable integration with procurement and the CMDB to regularly track whether purchased packaged software has embedded AI features
Third-Party	External partners or contracted vendors processing sensitive company data through GenAI without authorization, creating a fourth-order risk chain	Strictly limit how data can be processed in vendor security agreements (TPRM) and include audit rights in the contract



© 2026 PAGO Networks. All rights reserved.

According to Gartner's AI security and risk management research, this threat translates directly into real business risk. 69% of organizations are aware of unauthorized public GenAI use happening outside their security controls, and even approved tools are misused in risky ways 79% of the time. Craig noted that 52% of internally developed custom GenAI applications are deployed without a formal security review.

Five core recommended controls for addressing Shadow AI risk:

- **Continuous AI discovery:** run an always-on detection process to surface unidentified Shadow AI across the entire infrastructure
- **Risk-based security controls:** set dynamic security boundaries matched to data sensitivity and the specific characteristics of each AI tool
- **Practical, use-case-driven policies:** distribute clear, concise policy guidance tightly aligned to how the tools are actually being used
- **Continuous validation of third-party Shadow AI:** regularly audit AI usage across partner supply chains and confirm compliance with security commitments
- **A culture of transparent AI use:** move away from a punishment-first culture and build a collaborative community that shares safe AI usage practices

Security teams need to recognize that no single tool can deliver full visibility into AI usage across the enterprise on its own. Craig stressed the need to build a hybrid visibility model that integrates at least six key detection paths, including cloud AI, source code, MLOps, third-party assistants, AI platforms, and the supply chain, to strategically close remaining security gaps.

3. The Second Blind Spot: The Latent Risk of AI Browsers and Governance Principles

AI Browser, the next-generation browser model, combines a standard Chromium engine with an intelligent agent and reasoning engine, extending well beyond simple web browsing into autonomous transaction execution. Craig defined it this way: "If a regular browser is a tool for looking up information, an AI Browser is an entity that judges and acts on its own," underscoring what sets it apart.

AI Browser capability follows a two-stage roadmap. The first stage is the read-only 'AI sidebar,' responsible for summarizing and analyzing information. The second is 'agentic transaction,' where the browser takes on delegated user authority to

© 2026 PAGO Networks. All rights reserved.

autonomously complete complex workflows like handling email, submitting payment forms, and calling APIs. Craig explained that this heightened autonomy introduces five major security risks that existing security visibility frameworks are not equipped to handle.

Top AI Browser Risk	Underlying Security Weakness	Recommended Enterprise Control
Data Leakage	Sensitive information from open tabs, incoming email, and browsing history gets automatically transmitted in real time to a cloud backend	Connect DLP and SASE infrastructure to the web agent so transmission from the AI sidebar is blocked outright when a sensitive domain is accessed
Erroneous Action	LLM hallucination or reasoning errors trigger mistakes while executing purchases or filling out infrastructure forms	Require mandatory human approval for high-impact business actions like sending, payment, or configuration changes
Usage Outpaces Risk Appetite	Autonomous browsing and delegated authority ship enabled by default and spread uncontrolled with no central monitoring	Disable AI Browser engines in production by default until they have passed security review, then require strict approval to enable
Insecure Defaults	Search queries and activity history are retained indefinitely by default and reused for AI model training in pursuit of a better user experience	Force AI data retention settings off and periodically purge stored memory
Design Flaws	Rapid, competitive product launches expose security gaps (for example, ChatGPT Atlas storing session OAuth tokens in plaintext on macOS)	Block arbitrary client downloads until a patch is applied, and force remote logout of any active session

© 2026 PAGO Networks. All rights reserved.

2 Core AI Browser Capabilities

AI sidebar	Agentic transaction
AI assists the user	AI acts on behalf of the user
• Summarizes, explains and searches web content • Operates alongside pages without taking actions • Delivered via built-in browser features or extensions	• Navigates internal and external websites using delegated user credentials • Executes multistep tasks and workflows • Performs actions based on delegated intent

To address the serious security gaps and severe visibility blind spots introduced by AI Browser technology, Craig issued a firm first directive: "Given the current level of technical maturity, block the use of every AI Browser deployed in your production environment across the entire enterprise, immediately." He explained that this is necessary because the autonomous transaction nature of AI Browsers makes real-time monitoring and control through existing endpoint security systems or network packet inspection nearly impossible.

Top Security Risks AI Browsers Introduce



21 © 2026 Gartner, Inc. and/or its affiliates. All rights reserved. Gartner is a registered trademark of Gartner, Inc. and its affiliates.

Gartner

© 2026 PAGO Networks. All rights reserved.

For security teams with a higher risk tolerance who still want to adopt AI Browsers proactively for business value, Craig recommended a four-part control framework:

- **Sandbox controls:** fully isolate a pilot environment using accounts with no real privileges or real information, limited to a small pilot group
- **Access and interaction controls:** block use of any unofficial, arbitrarily downloaded browser and its backend connections, allowing only approved AI Browsers
- **Data protection:** enforce enterprise-wide domain-level scoping rules so sensitive or confidential domains never get exposed through the AI sidebar
- **Runtime security:** deploy a purpose-built browsing technology with runtime control, such as a Secure Enterprise Browser (SEB)



4. The Third Blind Spot: The Surge in Autonomous AI Agent Identity and Governance Gaps

One of the most overlooked and undervalued blind spots inside an organization is the unchecked spread of AI agent identity, tied to agents that operate autonomously. A Gartner survey of security professionals found that 71% of respondents said their organization's AI agents have direct access to core business systems like ERP, HR, and internal data stores. Yet only 16% said they are effectively governing and controlling that powerful access within their security framework.

© 2026 PAGO Networks. All rights reserved.

71%	16%
aware that AI agents hold access to core systems	actually governing and controlling that access

This 55-point gap in privilege management is stacking up numerous risks that could lead to a breach. Security incidents caused by agent flaws in particular tend to be far more damaging to an organization than typical human error, because a machine's judgment failure propagates at machine speed, triggering a cascading collapse. Right now, essentially no security professional can clearly map or trace the full blast radius, the paths through which agents scattered across the enterprise connect to external solutions.

Craig proposed redefining IAM infrastructure not as a simple collection of tools, but as a 'system of systems,' where permissions and flows across every layer work together organically.

He specifically recommended an Identity Visibility and Intelligence Platform (IVIP) architecture that places a dedicated visibility engine at the top of the stack, and defined four core engines that should drive agent ID governance.

- **Autonomous discovery:** automatically identify the full inventory of autonomous agent identities that employees have created on their own, spanning on-prem infrastructure, the cloud, and fragmented MLOps pipelines
- **Analyze:** monitor how distributed agents interact with data sets over time using their credentials, and identify anomalies based on actual behavior, not just a comparison against defined permissions
- **Constrain:** eliminate the practice of granting standing administrator privileges, and instead right-size access in real time, granting only the minimum, time-limited permissions needed for a given task based on intent analysis
- **Adapt:** build automated governance that detects agents tied to departed employees or inactive accounts in real time and retires them immediately

© 2026 PAGO Networks. All rights reserved.



5. A 30, 60, 90-Day Action Roadmap for Security Professionals

Timeline	Key Actions	Expected Outcomes and Metrics
Short term: within 30 days (Discover and contain)	① Block all unauthorized AI Browsers that lack controls over autonomous payments and data ② Run deep and broad automated AI discovery across six threat surfaces ③ Roll out a safe, official alternative AI service for employees along with simplified policy guidance	Initial containment of external transmission risk, a full inventory of unofficial AI tool usage across the enterprise, improved rate of blocked workaround attempts
Medium term: within 60 days (Structural guardrails)	① Establish an approval and lifecycle policy for automatically retiring arbitrarily created agent IDs ② Pilot IVIP and real-time account anomaly tracking with existing IAM vendors ③ Prioritize high-risk AI business processes and isolate them from threats	Cleanup of unused, dormant agent accounts, real-time visibility into how agents autonomously connect to internal systems
Long term: within 90 days (Ongoing governance)	① Fully operationalize the IVIP system to embed real-time agent privilege right-sizing ② Establish a safety-inclusive training culture centered on 'security-oriented experimentation' rather than punishment and fines ③ Formally connect AI security and agent identity risk metrics to board-level governance agendas	Enterprise-wide AI privilege maintained at minimum necessary levels, alignment between security operations and the board, and formal budget approval

© 2026 PAGO Networks. All rights reserved.

Conclusion

The leap forward in AI technology brings a massive opportunity for productivity gains, alongside a serious security risk rooted in a lack of visibility. If security teams stay locked into a rigid mindset and rely solely on blanket blocking and restriction policies, the damage will not stop at reduced competitiveness. It could actually backfire, pushing employees to route around controls using personal devices or unofficial channels, deepening the very gaps security is trying to close.

The ultimate goal for security management is building a model of distributed governance. Organizations need to move past the old model where a single security manager owns every risk, and instead give each business leader clear guidelines while establishing an owner accountability principle, where the business owner is responsible for the final call on real risk. Security professionals, in turn, need to take on a new role as a cybersecurity orchestrator, analyzing threat factors and designing and coordinating structural visibility.

The final compass for security practitioners coming out of this session is simple: if you cannot see it, you cannot secure it. Security teams need to treat the 30, 60, and 90-day roadmap in this report as an immediate action plan, using it to proactively catch the small cracks of Shadow AI hiding in visibility blind spots and bring them under clear control, driving the organization's safe innovation forward.

→ Takeaway

1. Shadow AI, AI Browsers, and Agent Identity, all three blind spots have already reached a dangerous level.
2. AI Browsers should be blocked in production as a rule. Visibility is the prerequisite for control.
3. With a 30/60/90-day roadmap and distributed governance, security professionals need to shift from manager to orchestrator.

© 2026 PAGO Networks. All rights reserved.

At this point, you might be asking yourself something like this.

"We already have plenty of security tools in place. Why does this feel like it is flying under the radar? Are we actually okay?"

"I would like to try PAGO's MDR service, but do we really need to adopt every one of those tools?"

If either of those questions sounds familiar, try PAGO's Freemium Threat Cleaning and Incident Response service. It is genuinely free, and for up to three months you can put PAGO's own MDR platform, DeepACT, through its paces, along with SentinelOne, Stellar Cyber, and StealthMole.

According to PAGO CEO Kwon Yeong-mok, roughly 80% of organizations that try this free service end up converting to a paying customer. If you are concerned about your company's security posture, reach out to a PAGO Networks specialist today and sign up for the Freemium service.

Get in touch about PAGO Networks MDR services

080-077-5171
sales@pagonetworks.com
www.pagonetworks.com

© 2026 PAGO Networks. All rights reserved.



www.pagonetworks.com

© 2026 PAGO Networks. All rights reserved.